

COLLECTED REF. LOCATION OF COLLECTION IDENTIFICATION and DETERMINATION
NO. ORDER & FAMILY SPECIES & AUTHORITY

R.T. Sellers.

30.6.51 R30 Swildons Hole Priddy. CRUSTACEA Asselus cavaticus
NS(6). NGR.31/531513. ISOPODA Schiodte
White Way. D.z. Very Asellidae Det.Dr.E.Sheppard.
numerous.

18.11.51 R31 Holwell Cave. Quantock CRUSTACEA Niphargus aquilex
Hills. SS(5). NGR.31/ AMPHIPODA aquilex Schiodte
211340. In pool nr stream Gammaridae Det. Mr. Spooner.
of slowly flowing water.
Pool.v.shallow, lined fine
mud. D.z.

18.11.51 R32 Holwell Cave Quantock DIPLOPODA Polymicrodon poly-
Hills. On dry & wet rock ONISCOMORPHA desmoides Leach
nr small pool & little Craspidosomidae Det. Dr. F.A. Turk.
stream. D.z.

Trevor Shaw.

13.1.51 F11 Calipso's Own Cave. Gozo CRUSTACEA Oniscus asellus L
(nr Malta). Deep Th. 70ft ISOPODA
into cave, in dry rock ONISCIDAE Det. Dr.E.Sheppard.
& earth.

13.1.51 F10 Ta Navo Cave. Gozo. Th. ARACHNIDA Pholcus phalangioides
On damp stalagmite. ARANEAE Fuesslin ♀
15ft from entry. Pholcidae Det. Dr. Browning.

29.10.50 F12 Hassans Cave. Malta. ARACHNIDA Ereynetes sp
Clay from roof fissure ACARI
approx.120ft from entry TROMBIDIFORMES Det. Dr. F.A. Turk.
damp conditions, but no Ereynetidae
dripping water normally
nr. Acari found under
microscopic examination.
Total length $\frac{1}{4}$ of field
view x 80. D.z.

12.2.51 F13 Hassans Cave. Malta. D.z. DIPLOPODA Charactopygus sp.nova
120ft into cave, 15-20ft cf maroccanus Attems ♀
from damp floor, on side Spirostrepoidae Det. Dr. F.A. Turk.
of rift. (N.B. First record in
this region, N. of
Algerian coast).

6.3.51 F14 Old St. Michael's Cave. ARACHNIDA near Scotolemon
Gibraltar. 650ft from OPILIONES Det. Dr. Browning
entry. 230ft underground. Phalangodidae (N.B. true cave form-
On wooden hammer handle blind. sent to Dr.
(broken) leaning against Goodnight of Lafayette
damp earth. 1956).